


Machine: 3217R	WM16 Mill
<u>Product Dimensions:</u>	
Weight	150KG
Length x Width x Height	1030 X 600 X 955mm
Tray Length x Depth	525 x 480
<u>Shipping Dimensions</u>	
Length x Width x Height	705 x 705 x 890mm
<u>Power/Motor</u>	
Motor size	900W
Power Transfer (GH) gearbox or (VS) variable speed	VS
Voltage (240v single) (440v 3 Phase)	240V
Fitment (Plug connection type)	3 Pin Plug
Current	50hz 3.9A
Spindle speeds (No: and achievable speeds)	50-1500 / 100-3000rpm
<u>Main Specifications</u>	
Table size	700 x 180mm
Longitudinal travel (X)	500mm
Cross Table travel (Y)	183mm
Head Travel or Knee (Z)	255mm
Quill/Spindle stroke	50mm
Distance spindle to table	300mm
Throat (Spindle middle to Column)	160mm
Table height from base	185mm
Spindle Taper size and thread	R8 7/16 unf
Head tilt left to right and Head tilt front to back	90-90 (45-45 calibrated)
Drilling capacity	16mm
Milling capacity	20mm
Spindle Bearing type	Taper Roller
<u>Other Specifications</u>	
Country of origin	China
Warranty	12 Months
Approximated assembly and setup time	30 mins
CE approved Certificate	CE CERT No.6 07/02/23

Machine Data Sheet

Additional products	
Optional stand	3207DL
Optional power feed	3205.16
Optional Digital Read Out Kit	8123 dro
X axis scale (left to right)	500mm
Y axis scale (forward to back)	200mm
Z axis scale (head)	300mm
Tee Nut size and no of slots	A=12 B=17.5 C=6.5 D=7.5mm (3 SLOTS) 9523 M10
Machine/Stand Hole positions	A=320 B=220 C=75 D=30mm



MILLING MACHINE HOLE DIMENSIONS

